

# FABRICoustic by COOLEDGE™


---

A collection of textiles encompassing a range of textures that deliver exceptional acoustic performance, making them the perfect choice for stretch ceilings.



## **Silence**

Our highest rated acoustic performer with an NRC = 0.90




## **Whisper**

Superior acoustic performance with the option for UV printing:  
NRC = 0.85



## **Serenity**

Abrasion resistant, with a range of colors and printing options:  
NRC = 0.90



## **Calm**

Exceptional value with very good acoustic performance: NRC = 0.80



## **495D Retrofit**

Look and feel of 495D (former Clipso part number) for retrofit applications

# FABRICoustic by COOLEDGE™

## SILENCE

Highest level of acoustic performance combined with a clean appearance.



Color	White
Material	100% Knitted Polyester (Recyclable)
Widths (inches)	126 & 177
NRC Rating	0.90
Fire Rating	ASTM E84 Class A
Printing Options	N/A
Cutting Methods	Cold, Ultrasonic, Heat

**Order Code**  
FCBC-SIL-xxx (xxx = width)

## WHISPER

Superior acoustic performance with the option to print graphics, images, and more.



Color	White, Black, or Printed
Material	100% Knitted Trevira CS (Recyclable)
Widths (inches)	126, 165, 205
NRC Rating	0.85
Fire Rating	ASTM E84 Class A
Printing Options	UV
Cutting Methods	Cold, Ultrasonic, Heat

**Order Code**  
FCBC-WHS-xxx (xxx = width)

# FABRICoustic by COOLEdge™

---

## SERENITY

---

Abrasion resistant, colors or printing, and unique texture combined together.



Color	White, Colors (11), or Printed
Material	100% Woven Polyester (Recyclable)
Widths (inches)	61 & 122
NRC Rating	0.90
Fire Rating	ASTM E84 Class A
Printing Options	UV, Latex, Dyesub
Cutting Methods	Ultrasonic, Heat

### Order Code

FCBC-SRN-xxx (xxx = width)

## CALM

---

Very good acoustic performance that fits any budget.



Color	White or Printed
Material	100% Knitted Polyester (Recyclable)
Widths (inches)	126 & 199
NRC Rating	0.80
Fire Rating	ASTM E84 Class A
Printing Options	UV or Dyesub
Cutting Methods	Cold, Ultrasonic

### Order Code

FCBC-CLM-xxx (xxx = width)


# FABRICoustic by COOLEGE™

---

## 495D RETROFIT

---

Look and feel of 495D (former Clipso part number) for retrofit applications.



Color	White
Material	100% Knitted Polyester - coated (Recyclable)
Widths (inches)	126 & 199
NRC Rating	0.85 preliminary
Fire Rating	ASTM E84 Class A
Cutting Methods	Cold

**Order Code**  
FCBC-RTR-xxx (xxx = width)



# FABRICoustic by COOLEDGE™

## DUST LAYER

Additional inner layer to prevent dust and debris from reaching outer textile layer.



Color	White
Material	100% Knitted Polyester (Recyclable)
Widths (inches)	63, 126, & 199
Fire Rating	ASTM E84 Class A (equivalent)
Cutting Methods	Cold, Ultrasonic, Heat

**Order Code**  
FCBC-DL-xxx (xxx = width)

## ACOUSTIC FLEECE

Provides acoustic absorption to optimize system performance.




Color	Black
Material	½” thick 100% PET (Recyclable)
Widths (inches)	48 (Roll = 100’)
Fire Rating	ASTM E84 Class A

**Order Code**  
FCBC-FLC

## ACOUSTIC TEST CONFIGURATION

The acoustic performance values shown are based on the test configuration shown below.



# FABRICoustic by COOLEDGE™

## POLYMER PROFILES

Lightweight mounting profiles with the option of staple attachment..

Ceiling Mount



Color	Black or White
Material	Polypropylene*
Length	118.1" (9'-10.1")
Cross-section	0.39" x 1.18"
Packaging Units	50pcs or Individual

*\*Architect friendly*

**Order Code**  
FCBC-PRF-CM


Wall Mount



Color	Black or White
Material	Polyvinyl Chloride
Length	118.1" (9'-10.1")
Cross-section	0.59" x 1.18"
Packaging Units	50pcs or Individual

**Order Code**  
FCBC-PRF-WM

Flush Mount



Color	White
Material	Polyvinyl Chloride
Length	118.1" (9'-10.1")
Cross-section	0.39" x 1.40"
Packaging Units	50pcs or Individual


**Order Code**  
FCBC-PRF-FM

# FABRICoustic by COOLEEDGE™

## ALUMINUM PROFILES

A selection that meets every project requirement.


### Knife Edge



Finish	Mill Finish (MF) or Powdercoat (WH or BL)
Material	Aluminum
Length	119" (9'-11")
Cross-section	1.54" x 3.94"
Packaging Units	Individual

**Order Code**  
FCBC-PRF-KE-xx (MF, WH, BL)


### Flat 2"



Finish	Mill Finish (MF) or Powdercoat (WH or BL)
Material	Aluminum
Length	119" (9'-11")
Cross-section	0.74" x 2.00"
Packaging Units	Individual

**Order Code**  
FCBC-PRF-FL2-xx (MF, WH, BL)

### Flat 4"



Finish	Mill Finish (MF) or Powdercoat (WH or BL)
Material	Aluminum
Length	119" (9'-11")
Cross-section	0.75" x 4.00"
Packaging Units	Individual

**Order Code**  
FCBC-PRF-FL4-xx (MF, WH, BL)